

**Schedule LIT, OUTDOOR LIGHTING SERVICE (CIS RATE CODE 300)
 ELECTRIC**

1. APPLICABILITY

This schedule is applicable to any customer for outdoor lighting service except where installations are prevented by any public authority having jurisdiction or are otherwise unlawful. Available only for installations served prior to January 1, 2003.

(I) 2. MONTHLY RATE

A. Watchlight, Area, and Roadway Lighting Service

Monthly kWh	Approximate Lumens	Type	Rate per Unit Per Month
40	3,300	Mercury Vapor	\$10.97
70	7,000	Mercury Vapor	\$12.27
100	11,000 *	Mercury Vapor	\$13.97
150	20,000	Mercury Vapor	\$18.65
360	53,000 *	Mercury Vapor	\$35.92
30	5,000	Sodium Vapor	\$13.64
40	8,000	Sodium Vapor	\$14.15
70	14,000	Sodium Vapor	\$16.32
105	23,000	Sodium Vapor	\$21.47
160	42,000	Sodium Vapor	\$27.06
360	127,000	Sodium Vapor	\$43.53

* These mercury vapor lamps will continue to be supplied at those locations being served as of May 29, 1981, at the rates set forth above. These mercury vapor lamps will not be supplied unless written commitments were made prior to May 29, 1981, and, if an existing mercury vapor lamp is discontinued at the customer's option, it shall not again be available. The Company will replace, at its own expense, mercury vapor lighting fixtures which fail, and which cannot be made operative, with Company standard high pressure sodium vapor fixtures of the Customer's choice. These will be billed at the appropriate rate for the fixture chosen. If the Customer prefers, the Company will remove the defective mercury vapor fixture at its own expense without replacement.

B. Ultra Style - Rectangular shaped luminaries which provide sharp cut-off light patterns along with decorative, environmental quality, applicable to Area and Roadway Lighting service.

Monthly kWh	Approximate Lumens	Type	Rate per Unit Per Month	
			1st Unit Per Pole	Each Additional Unit on Same Pole
30	5,000	Sodium Vapor	\$29.18	\$12.04
40	8,000	Sodium Vapor	\$29.67	\$12.36
70	14,000	Sodium Vapor	\$30.25	\$13.52
105	23,000	Sodium Vapor	\$32.96	\$18.30
160	42,000	Sodium Vapor	\$35.37	\$20.83

(I) Denotes Increase

Issued by Authority of an Order
 of the Public Service Commission of West Virginia
 in Case No. 09-1352-E-42T dated June 25, 2010

Issued: June 29, 2010

Issued by
 R. L. Dickens
 President

Effective: June 29, 2010

Schedule LIT, OUTDOOR LIGHTING SERVICE (CIS RATE CODE 300, CONTINUED) ELECTRIC

2. MONTHLY RATE (continued)

- C. Urbanlites - Rectangular shaped luminaries which provide sharp cut-off patterns along with decorative, environment qualities, applicable to Area and Roadway Lighting service. These lamps will continue to be supplied at those locations being served as of May 29, 1981, at the rates set forth below. No additional lamps will be supplied unless written commitments were made prior to May 29, 1981.

Monthly kWh	Approximate Lumens	Type	Rate per Unit Per Month
150	20,000	Mercury Vapor	\$31.83
70	14,000	Sodium Vapor	\$29.70
105	23,000	Sodium Vapor	\$31.96
160	42,000	Sodium Vapor	\$35.07

- D. Directional Lighting Service

Monthly kWh	Approximate Lumens	Type	Rate per Unit Per Month	
			1st Unit Per Pole	Each Additional Unit on Same Pole
150	20,000	Mercury Vapor	\$22.50	\$17.22
360	53,000	Mercury Vapor	\$38.64	\$28.55
160	42,000	Sodium Vapor	\$31.58	\$21.53
380	127,000	Sodium Vapor	\$43.87	\$32.82

- E. Minimum Charge

The monthly minimum charge shall be the rate specified in 2.A, 2.B, 2.C, or 2.D above.

LOCAL TAX ADJUSTMENT

Within municipalities or political subdivisions which impose taxes based upon the amount of electric service sold or revenues received by the Company, as specified in Rule No. 18 of "Rules and Regulations for Electric Service," there shall be added to the total bill a surcharge equal to the percentage shown on Sheet No. 5A.

ENVIRONMENTAL CONTROL CHARGE NORMALIZATION SURCHARGE

An Environmental Control Charge Normalization Surcharge shall apply, as outlined on Sheet No. 5F1 of this tariff.

- (C) ENVIRONMENTAL CONTROL CHARGE / ENVIRONMENTAL CONTROL CHARGE-2

An Environmental Control Charge and Environmental Control Charge-2 shall apply, as outlined on Sheet Nos. 5G1 and 5H1 of this tariff.

TERMS OF PAYMENT

Bills are due and payable on presentation. A late payment charge of 2% of the net bill will be added to each bill not paid in full within twenty (20) days from the date mailed.

(C) Denotes Change

Issued by Authority of Orders
 of the Public Service Commission of West Virginia
 in Case Nos. 05-0402-E-CN and 05-0750-E-PC

Issued: June 30, 2010

Issued by
 R. L. Dickens
 President

Effective: July 15, 2010

(N)

Schedule LIT, OUTDOOR LIGHTING SERVICE (CIS RATE CODE 300, CONTINUED) ELECTRIC

TERM OF CONTRACT

Open order where the fixtures and other service facilities are in place and for temporary service where connect and disconnect charge is made. In all other cases, the term of contract shall be such as may be mutually agreed upon, but no less than one year.

3. TERMS AND CONDITIONS

The complete installation is to be furnished, maintained and operated by the Company and will remain the property of the Company. The type of fixture and method of installation shall be in accordance with Company standards. Normally, overhead lights will be installed on Company wood poles. Installations on buildings or structures belonging to the Customer or to others will not be permitted. The Company shall not be obligated to construct or own any line extension or other facilities to provide outdoor lighting service, the cost of which shall exceed five times the net annual revenue anticipated from such line extension. (Gross revenue less energy portion of purchased power costs).

If the cost of installing the line extension or other facilities is in excess of five times the net annual revenue, the customer may be required to pay to the Company in advance of the construction of the extension or other facilities an amount equal to the excess cost.

Outside the areas designated by the Company as underground distribution areas, when the Company is requested by the Customer to install underground units for outdoor lighting service, the Company will make such an installation provided the Customer pays to the Company in advance the amount by which the cost of the installation exceeds five times the net annual revenue anticipated from the installation. The Customer, however, may be required to install, own and maintain all fixed items such as conduit, pads, handholds, and pole foundations. Poles will not be considered fixed items. Within the areas designated by the Company as underground distribution areas the Company shall not be obligated to construct or own any facilities beyond the property line of the Customer.

The Customer shall report to the Company, as promptly as possible, any and all lights that are out, not burning properly, or burning continuously. The Company will endeavor to replace or repair such lights on the next following regular working day. Should the Customer request the repair or replacement of the lights during hours other than the normal routine schedule, a service charge of \$28.00 will be made.

(N) Denotes New

Issued by Authority of an Order
of the Public Service Commission of West Virginia
in Case No. 99-1407-EG-PC, dated December 9, 1999

Issued: December 31, 2002

Issued by
B. E. Walenczyk
Vice President

Effective: January 1, 2003